EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	64	cpc and cpm and cpi	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/09 11:25
L2	89	cpm and cpi and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/09 11:26
L3	14	cpm and cpi and cpc and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/09 11:26
S1	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S2	1248	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S3	11	binary with sequence with character with concat$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S4	6	binary with sequence with character with concat$8 and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:06

S5	25	convert with binary with sequence with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:06
S6	162	represent with binary with (sequence or string) with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:11
S7	34	represent near3 binary with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:08
S8	0	(ad or advertisement) with click with encode with URL and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:52
S9	0	(ad or advertisement) with click same (encode with URL) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:52
S10	143	(ad or advertisement) with click with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:54
S11	0	(ad or advertisement) with click with intermediate with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:54
S12	0	(ad or advertisement) with click with url same (intermediate with track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:55
S13	1	(ad or advertisement) with click with url same (track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:58

S14	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:07
S15	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:09
S16	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S17	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:11
S18	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S19	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S20	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S21	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S22	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:18

S23	457051	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S24	10551	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:16
S25	16850	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S26	462573	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S27	16850	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:16
S28	40	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:20
S29	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:20
S30	27	represent near3 binary with (sequence or string) near3 character and @ad<"20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:05
S31	25	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:07

S32	136	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:11
S33	8	store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:11
S34	0	encode with URL with (time or charge$4) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:32
S35	12	encode with URL with (time or charge$4) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:32
S36	3339	((encode or contain or insert) NEAR2 URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:35
S37	783	((encode or contain or insert) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:35
S38	48	((encode) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:36
S39	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S40	1297	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S41	11	binary with sequence with character with concat$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S42	6	binary with sequence with character with concat$8 and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S43	26	convert with binary with sequence with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S44	161	represent with binary with (sequence or string) with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S45	34	represent near3 binary with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S46	0	(ad or advertisement) with click with encode with URL and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S47	0	(ad or advertisement) with click same (encode with URL) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S48	147	(ad or advertisement) with click with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S49	0	(ad or advertisement) with click with intermediate with url and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S50	0	(ad or advertisement) with click with url same (intermediate with track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S51	2	(ad or advertisement) with click with url same (track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S52	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S53	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S54	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S55	0	((ad or advertisement) with click with redirect) and (track) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S56	0	((ad or advertisement) with click with re-direct) and (track) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S57	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S58	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S59	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S60	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S61	496113	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S62	11149	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S63	17976	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S64	502093	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S65	17976	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S66	40	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S67	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

S68	27	represent near3 binary with (sequence or string) near3 character and @ad< "20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S69	26	convert with binary with sequence with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S70	134	(represent or convert) with binary with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S71	8	store near4 (binary data) with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S72	14	URL with (encode or query or post) with ad and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:14
S73	6	US-5708780-$.DID. OR US-5740549-$.DID. OR US-5838790-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:49
S74	2	"20030208560".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:51
S75	0	(ad or advertisement) near2 tracking and re-direct same URL and @ad< "20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:52
S76	5	(ad or advertisement) near4 track$4 and re-direct same URL and @ad< "20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 15:52

S77	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S78	1384	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S79	11	binary with sequence with character with concat$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S80	6	binary with sequence with character with concat$8 and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S81	26	convert with binary with sequence with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S82	162	represent with binary with (sequence or string) with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S83	34	represent near3 binary with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S84	0	(ad or advertisement) with click with encode with URL and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S85	0	(ad or advertisement) with click same (encode with URL) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S86	152	(ad or advertisement) with click with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S87	0	(ad or advertisement) with click with intermediate with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S88	0	(ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S89	2	(ad or advertisement) with click with url same (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S90	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S91	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S92	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S93	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S94	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S95	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S96	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S97	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S98	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S99	543655	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S100	12270	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S101	19733	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S102	550378	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S103	19733	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S104	42	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S105	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S106	27	represent near3 binary with (sequence or string) near3 character and @ad< "20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S107	26	convert with binary with sequence with character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S108	135	(represent or convert) with binary with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S109	8	store near4 (binary data) with (sequence or string) near3 character and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S110	0	encode with URL with (time or charge$4) @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S111	12	encode with URL with (time or charge$4) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S112	3461	((encode or contain or insert) NEAR2 URL) and @ad< "20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S113	810	((encode or contain or insert) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S114	48	((encode) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S115	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S116	1384	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S117	11	binary with sequence with character with concat$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S118	6	binary with sequence with character with concat$8 and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S119	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S120	162	represent with binary with (sequence or string) with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S121	34	represent near3 binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S122	0	(ad or advertisement) with click with encode with URL and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S123	0	(ad or advertisement) with click same (encode with URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S124	152	(ad or advertisement) with click with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S125	0	(ad or advertisement) with click with intermediate with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S126	0	(ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S127	2	(ad or advertisement) with click with url same (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S128	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S129	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S130	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S131	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S132	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S133	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S134	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S135	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S136	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S137	543655	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S138	12270	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S139	19733	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S140	550378	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S141	19733	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S142	42	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S143	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S144	27	represent near3 binary with (sequence or string) near3 character and @ad<"20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S145	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S146	135	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S147	8	store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S148	14	URL with (encode or query or post) with ad and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

S149	6	US-5708780-$.DID. OR US-5740549-$.DID. OR US-5838790-$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S150	2	"20030208560".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S151	0	(ad or advertisement) near2 tracking and re-direct same URL and @ad<"20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30
S152	5	(ad or advertisement) near4 track$4 and re-direct same URL and @ad<"20031028"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/07 13:30

11/9/2009 12:09:30 PM
C:\Documents and Settings\wnoonan\My Documents\EAST\Workspaces\10749110 Ad encode URL.wsp